







4100

shower curtain track

for care institutions

The standard in healthcare

4100



shower curtain track

for care institutions

practical & versatile

The Qurails shower curtain track 4200 is an ideal rail for your shower curtain. This rail is the strongest of its kind. He owes his strength especially to his form. The rail can be fitted with suspension hangers to be used in hospitals and care institutions. A very popular rail with many applications, such as in the care sector and residential homes.

- The ideal track for all shower curtains.
- Easy to bend and exceptional quality.
- Can be forward or reverse bent in different radii.
- Silent and smooth running, also round bends.
- Usable with LRS gliders.



Standard colours







Features

Material: aluminium


Colour: white, natural anodised, black

Dimensions: 34 x 15 mm
Weight profile: 405 gr/m
Mounting: wall or ceiling

High quality, wear-resistant coating, highly colourfast, UV-resistant. Other RAL colours & special coatings on request.

Profile specifications

Aluminium profile:



Colours with RAL code and lengths (m):

	RAL	4	5	6	7
white	9010		•	•	•
naturel			•	•	
black	9005			•	

Mounting surface:

- wood
- masonry/concrete

Bracket type:

- ceiling bracket
- wall bracket
- spacer bracket


Bending:


bending radius	bending tool		
R 15 cm	1015		
R 20 cm	1015		
R 30 cm	1015		
R>80 cm	1018		
R 15 cm R > 100 cm			

Specification guide Material

- Aluminium EN AW-6060-T66.
- Anodised in accordance with the Qualanod standard.
- Powder coated in accordance with the Qualicoat standard.


Mounting






ceiling mounting 4100 with ceiling bracket 4135


ceiling mounting 4100 with suspension hanger 4254



wall mounting 4100 with wall bracket 4149




wall mounting with wall bracket 4140




Ceiling mounting 4100: threaded rod set 4055-10, suspension hanger tube 4055-40 and with fixing set 4055-30.


Application example

Standard shower rail situations and suspension hanger positions





Special (for example corner baths)





L-shaped (bath)

Straight rail

Standard parts

Curtain transport



4001-M-N-60 end stop metal with eye natural and RVS hook



4003 spring stop plastic requires punch hole white



4010-60 4010-W with RVS hook

Mounting



4149 wall bracket white / grey / black



Accessories



4145-050 dust cover reel 50m white / grey

Optional parts

Curtain transport



4001-M-N end stop metal with eye natural



4002 end stop metal



4007 rotating glider white/grey/ silver/black



4007-70 rotating glider with ring, white

Mounting



4135 ceiling bracket white / natural metallic / black



4254 mini suspension hanger 3cm white / natural metallic / black



4055-10 threaded rod M6 with plug and 2x nut M6, 0-100 cm / 101-200 cm



4055-30-SYST-10 susp.hanger mount. set susp.ceiling, white / natural



4055-30-10 susp. hanger mounting set white / natural



4055-30-LRS-51 susp. hanger mounting set LRS 5100



4055-40 susp. hanger tube 50cm natural, 50 /100 / 150 cm, one side threaded white / natural / black



4130 connection bracket white / naturel metallic



4140 wall bracket white/grey

Accessories



4153 end cap plastic white / grey



4165
rail connector
white / naturel / black



4170 curtain holdback with fixing plate white / natural



4170-ISO curtain holdback nat. fixing plate, isolated white / natural



4170-M curtain holdback, magnetic fixing, white

Technical specifications are subject to change without prior notice.

