



# 4200

## shower curtain track

for care institutions

---

### The standard in healthcare

# 4200



## shower curtain track

for care institutions


### practical & versatile

The Qurails shower curtain track 4200 is an ideal rail for your shower curtain. The rail can be fitted with suspension hangers to be used in hospitals and care institutions. The Goelst 4200 can even be mounted without a suspension hanger between two walls up to a length of 180 cm. A very popular rail with many applications, such as in the care sector and residential homes.

- The ideal track for all shower curtains.
- Uitstekend buigbaar en van hoge kwaliteit.
- Can be forward or reverse bent in different radii.
- Silent and smooth running, also round bends.
- Usable with LRS gliders.



### Standard colours




High quality, wear-resistant coating, highly colourfast, UV-resistant.  
Other RAL colours & special coatings on request.

### Features

|                 |                         |
|-----------------|-------------------------|
| Material:       | aluminium               |
| Colour:         | white, natural anodised |
| Dimensions:     | 18 x 21 mm              |
| Weight profile: | 274 gr/m <sup>1</sup>   |
| Mounting:       | wall or ceiling         |

## Profile specifications

### Aluminium profile:



### Colours with RAL code and lengths (m):

|         | RAL  | 4 | 5 | 6 | 7 |
|---------|------|---|---|---|---|
| white   | 9010 |   |   | • |   |
| natural |      |   |   | • |   |

### Mounting surface:

- wood
- masonry/concrete

### Bracket type:

- ceiling bracket
- wall bracket
- spacer bracket

### Bending:

| bending radius | bending tool |
|----------------|--------------|
| R 10 cm        | 1015         |
| R 15 cm        | 1015         |
| R > 100 cm     | 1018         |

R 10 cm


R > 100 cm

## Specification guide

### Material


- Aluminium EN AW-6060-T66.
- Anodised in accordance with the Qualanod standard.
- Powder coated in accordance with the Qualicoat standard.

## Mounting




Ceilingmounting 4200  
with ceiling bracket 5153


Ceilingmounting 4200  
with suspension hanger 4254




Wall mounting 4200 with wall  
bracket 4249



Mounting 4200 with wall bracket  
5140




Ceiling mounting 4100, 5100 or 4200:  
threaded rod set 4055-10, suspension  
hanger tube 4055-40 and with fixing  
set 4055-30.




Ceiling mounting with 4255

## Application example


Standard shower rail situations and  
suspension hanger positions




L-shaped (shower)




U-shaped (shower)



Special  
(for example corner baths)



L-shaped (bath)



Straight rail

## Standard parts



### Curtain transport



4001-M-N-60  
end stop metal with  
eye natural and RVS  
hook



4003  
spring stop plastic  
requires punch hole  
white




### Mounting



4007-60  
rotating glider  
with ss hook,  
white / grey

4249  
wall bracket  
white / grey

### Accessories



4145-050  
dust cover  
reel 50m  
white / grey

## Optional parts

### Curtain transport



4001-M-N  
end stop metal  
with eye natural



4002  
end stop metal



4007  
rotating glider  
white / grey / silver /  
black




4007-60-LRS  
rotating glider LRS grey  
/ rotating glider LRS  
red



4007-70  
rotating glider  
with ring, white


### Mounting



5135  
ceiling bracket  
white / natural  
metallic



4254  
mini suspension  
hanger 3cm  
white / natural metallic  
/ black



4255  
suspension hanger  
50, 100, 150 cm  
white, natural



4055-10  
threaded rod M6  
with plug and 2x nut  
M6, 0-100 cm / 101-  
200 cm



4055-30-SYST-10  
susp.hanger mount.  
set susp.ceiling,  
white / natural



4055-30-10  
susp. hanger  
mounting set  
white / natural



4055-30-LRS-51  
susp. hanger  
mounting set LRS  
5100



4055-40  
susp. hanger tube  
50cm natural, 50  
/ 100 / 150 cm, one  
side threaded  
white / natural /  
black



5130  
connecting bridge  
white / natural  
metallic



5140  
wall bracket  
white / grey


### Accessories



4253  
end cap plastic  
white / grey




4253-A  
aluminium end cap  
white / natural metallic




5152  
connecting bridge  
naturel




4159-A  
threaded insert  
without foot white



4170  
curtain holdback with  
fixing plate white /  
natural



4170-ISO  
curtain holdback nat.  
fixing plate, isolated  
white / natural



4170-M  
curtain holdback,  
magnetic fixing,  
white

Technical specifications are subject to  
change without prior notice.

**Qurails®**  
Powered by GOELST.