



# 5100

## cubicle curtain track

for care institutions

**Durable curtain track with practical possibilities**

# 5100




## cubicle curtain track

for care institutions

### sustainable & practical

The Qurails 5100 cubicle curtain track can help in dividing a hospital ward into multiple, temporarily separated areas to guarantee the privacy of patients and caregivers. Qurails has more than 35 years of experience and would be glad to assist you in devising the optimal solution tailored to the requirements of your hospital, medical centre or nursing home. Our products design complies with NEN hygiene and safety standards and can help you reduce the cost of operation.

- Suitable for all partitioning curtains.
- Can be forward or reverse bent in different radii.
- Dust strip prevents the accumulation of dirt and simplifies cleaning.
- Suitable for mounting cubicle curtains in accordance with NEN1010.
- Silent and smooth running, also round bends.
- Suitable for incorporating the Load Release System.
- Durable, comfortable glide, safe, anti-suicide (LRS), room-divider.



### Standard colours




### Features

Material:	aluminium
Colour:	white, natural anodised, black
Dimensions:	26 x 28 mm
Weight profile:	522 gr/m <sup>1</sup>
Mounting:	wall or ceiling

High quality, wear-resistant coating, highly colourfast, UV-resistant.  
Other RAL colours & special coatings on request.

## Profile specifications

### Aluminium profile:



### Colours with RAL code and lengths (m):

	RAL	4	5	6	7
white	9010		•	•	•
natural			•	•	•
black	9005			•	

### Mounting surface:

- wood
- masonry/concrete

### Bracket type:

- ceiling bracket
- wall bracket
- spacer bracket

### Bending:

bending radius	bending tool
R 15 cm	1015
R 25 cm	1015
R > 80 cm	1018


R 10 cm

R > 80 cm

## Load Release System

The Load Release System (LRS) ensures that the track detaches from the fixing points when subjected to brief peak loads. The track can subsequently be put back in place without having to use any tools.

The system components are designed in such a way that they can be combined with Qurails track 4100. For further information, see the LRS product data sheet.




## Specification guide


### Material

- Aluminium EN AW-6060-T66.
- Anodised in accordance with the Qualanod standard.
- Powder coated in accordance with the Qualicoat standard.


## Application example



Connecting bridge 5165





Connection bracket 5130




Connection bracket white 5130 as perpendicular connector

Hollow end cap 5153-20

This drawing illustrates under what conditions a hanger tube 4064 or V-hanger 4161 are applied, and under what conditions a suspension hanger suffices. Important for sideward stability.



Example of a room with 2 beds and a 5100 system. Also illustrating the use of a hanger tube where face mounting is impossible (due for example to window placement)





## Parts

### Curtain transport



4001-M-N  
end stop metal  
with eye natural



4001-M-N-60  
end stop metal  
with eye natural  
and RVS hook



4002  
end stop metal



4003  
spring stop plastic  
requires punch hole



4007  
rotating glider white/  
grey / silver / black



4007-60  
rotating glider  
with ss hook



4007-LRS-10/20  
rotating glider LRS  
grey / rotating glider  
LRS red




4007-60-LRS-10/20  
rotating glider LRS with  
SS hook grey / rotating  
pilot glider LRS with SS  
hook red




4007-70  
rotating glider with  
ring, white

### Mounting



5135  
ceiling bracket  
white / natural metallic



4055-10  
threaded rod M6 with  
plug and 2x nut M6,  
0-100 cm / 101-200 cm



4055-30-10  
susp. hanger  
mounting set  
white / natural



4055-30-SYST-10  
susp. hanger mount.  
set susp. ceiling, white  
/ natural



4055-40  
susp. hanger tube  
1 side threaded  
50, 100, 150 cm,  
white / natural / black




4064-10  
base plate  
white / natural  
metallic / black



4064-20  
extender white /  
natural metallic /  
black




4064-30-10  
fixing set white



4064-30/31-IS-10  
fixing set white  
isolated



4064-40  
hanger tube  
white / natural  
metallic  
75, 120, 150, 200 cm



5116-10  
bridging plate  
with center hole  
white / natural



5116-20  
bridging plate  
white / natural



5116-30  
bridging plate,  
for strut hanger  
white / natural



5130  
connecting bridge  
white /  
natural metallic



5140  
wall bracket  
white / grey



4254  
mini suspension  
hanger 3cm  
white / natural



5149  
wall bracket  
white / grey


### Accessoires



5153  
end cap  
white / grey



5153-20  
end cap hollow  
white / grey



5152-20  
connecting  
bridge natural




4159-A  
threaded insert  
without foot  
white



4180  
infusion bottle  
hanger




4181  
infusion hook  
30, 50 cm



4145-050  
dust cover  
reel 50m




5165  
connecting bridge  
white / natural



4170  
curtain holdback  
with fixing plate  
white / natural



4170-ISO  
curtain holdback nat.  
fixing plate, isolated  
white / natural



4170-M  
curtain holdback,  
magnetic fixing,  
white



1420-555/564  
ceiling rose white  
for tube  
ø 15, 22 mm

Technical specifications are subject to change without prior notice.

**Qurails®**  
Powered by GOELST.