



4100

hand-drawn

for light, medium- and heavy-weight curtains

Strong & slim-looking

4100




hand-drawn

for light, medium- and heavy-weight curtains


Strong & slim-looking

The Qurails 4100 profile is the strongest rail in our assortment. Its slim and sleek industrial look makes it fit for many interiors. It can be easily mounted in various ways on a wall, ceiling or hanging free. A very popular track that can be used in a wide variety of situations, such as private homes, but also in office buildings and in the care sector.

- The ideal track for lightweight, medium-heavy or heavy curtains.
- Easy to bend and exceptional quality.
- Can be forward or reverse bent in different radii.
- Compatible with the Qurails Flow System for regularly pleated curtains.
- Silent and smooth running, also round bends.
- Compatible with LRS gliders.



Standard colours




High quality, wear-resistant coating, highly colourfast, UV-resistant.
Other RAL colours & special coatings on request.

Features

Material: aluminium
Colour: white, natural anodised, black
Dimensions: 34 x 15 mm
Weight profile: 405 gr/m
Mounting: wall or ceiling

Profile/ gliders specifications

Aluminium profile: Glider:



Colours with RAL code and lengths (m):

	RAL	4	5	6	7	7,5
white	9010		•	•	•	•
naturel			•	•		•
black	9005			•	•	

Surface:

- wood
- masonry/
concrete

Bracket type:

- ceiling bracket
- wall bracket
- spacer bracket

Bending:

bending radius	bending tool
R 15 cm	1015
R 20 cm	1015
R 30 cm	1015
R > 80 cm	1018

R 15 cm

R > 80 cm

Flow

The Qurails Flow System keeps pleats in curtains consistent. It can be used with small and wide channel tracks and, because of the broad assortment of components, it can be integrated in hand-drawn, cord-pulled and electrically operated systems.


The Flow System can also be used with curved curtain tracks. For further information, see the Flow [product data sheet](#).

Specification guide

Material


- Aluminium EN AW-6060-T66.
- Anodised in accordance with the Qualanod standard.
- Powder coated in accordance with the Qualicoat standard.

Mounting




Ceiling mounting with mini-suspension hanger 4254

Ceiling mounting with fixing plate 4135




Mounting with adjustable extension bracket 4217




Wall mounting with end bracket 4149 Wall mounting with extension bracket 4115

Application example



Mounting guideline



The distance between the brackets can vary depending on the following factors: the mounting surface (wood, concrete or plaster), the weight of the curtains and the curtain fabric production method, the specific application and the system usage intensity. General advice: with the curtains open, place additional brackets where the pleats bunch together. Also place additional brackets before and after bends.




Standard parts

Curtain transport




4001
end stop
white / grey / black




4010
glider
white / grey / black

Mounting



4135
ceiling bracket
white / grey /
black


Accessories



4153
end cap
white / grey / black

Optional parts

Curtain transport



2004
brake glider
white / grey / black



4001-M-N
end stop metal
with eye natural



4002
end stop metal



4003
spring stop plastic
requires punch
hole



4007
rotating glider
white / grey / silver /
black



4007-LRS
rotating glider LRS
grijs / rotating glider
LRS redrod



4010-50
glider white with
hook 2023




4012
click-in glider white




4020
heavy duty glider
white / grey / black



4030
roller
white / black



4074-1000
carrier with overlap,
a.o. for draw rod
white / natural
metallic / black



4075-1000
carrier without
overlap, a.o. for draw
rod white / natural
metallic / black



2020
double hook
white



2021
G-Hook
white




2022
curtain hook
white



2023
curtain hook
white



2024-55
adjustable sew
in hook white
55mm



2024-95
adjustable sew
in hook white
95mm

Mounting




4254
mini suspension
hanger,
white / natural / black




4140
wall bracket
white / grey / black



4149
wall bracket
white / grey / black




4115
extension bracket
5, 7.5, 10, 15 cm
white / natural
metallic / black



4217
adj. extension bracket
10 cm, 1 hole
20 cm, 1 hole
20 cm, 2 holes
white / natural metallic /
black

Accessories



4048-10MM
corner connection



KVT-T1
draw rod
100, 125 or 150 cm
white / natural metallic
/ black / transparent

Technical specifications are subject to
change without prior notice.

Copyright: Photography The Duke,
Dré Wouters, The Art of Living magazine

Qurails[®]
Open a new experience