



# 4100

## shower curtain track

for care institutions

---

**The standard in healthcare**

# 4100



## shower curtain track

for care institutions


### practical & versatile

The Qurails shower curtain track 4200 is an ideal rail for your shower curtain. This rail is the strongest of its kind. He owes his strength especially to his form. The rail can be fitted with suspension hangers to be used in hospitals and care institutions. A very popular rail with many applications, such as in the care sector and residential homes.

- The ideal track for all shower curtains.
- Easy to bend and exceptional quality.
- Can be forward or reverse bent in different radii.
- Silent and smooth running, also round bends.
- Usable with LRS gliders.
- Aluminum rail is resistant to corrosion in humid environments.



### Standard colours




### Features

Material:	aluminium
Colour:	white, natural anodised, black
Dimensions:	34 x 15 mm
Weight profile:	405 gr/m
Mounting:	wall or ceiling

High quality, wear-resistant coating, highly colourfast, UV-resistant.  
Other RAL colours & special coatings on request.

## Profile/ gliderspecifications

### Aluminium profile: Glider:



### Colours with RAL code and lengths (m):

	RAL	4	5	6	7	7,5
white	9010		•	•	•	•
naturel			•	•		•
black	9005			•	•	

### Mounting surface:


- wood
- masonry/concrete

### Bracket type:


- ceiling bracket
- wall bracket
- spacer bracket

### Bending:

bending radius	bending tool
R 15 cm	1015
R 20 cm	1015
R 30 cm	1015
R > 80 cm	1018




## Mounting




ceiling mounting 4100 with ceiling bracket 4135


ceiling mounting 4100 with suspension hanger 4254



wall mounting 4100 with wall bracket 4149



wall mounting with wall bracket 4140



Ceiling mounting 4100: threaded rod set 4055-10, suspension hanger tube 4055-40 and with fixing set 4055-30.


## Specification guide

### Material


- Aluminium EN AW-6060-T66.
- Anodised in accordance with the Qualanod standard.
- Powder coated in accordance with the Qualicoat standard.

## Application example


Standard shower rail situations and suspension hanger positions




L-shaped (shower)




U-shaped (shower)



Special (for example corner baths)



L-shaped (bath)



Straight rail



## Standard parts

### Curtain transport



4001-M-N-60  
end stop metal with  
eye natural and RVS  
hook



4003  
spring stop plastic  
requires punch  
hole white



4007-60  
rotating glider  
with SS hook




4002  
end stop metal

### Mounting



4149  
wall bracket  
white / grey /  
black

### Accessories



4145-050  
dust cover  
reel 50m  
white / grey / black

## Optional parts

### Curtain transport



4001-M-N  
end stop metal  
with eye natural



4007  
rotating glider  
white / grey /  
silver / black



4007-70  
rotating glider  
with ring, white



4055-30-SYST-10  
susp.hanger mount.  
set susp.ceiling,  
white / natural



4055-30-10  
susp. hanger  
mounting set  
white / natural



4055-30-LRS-51  
susp. hanger  
mounting set  
LRS 5100




4055-40  
susp. hanger tube  
50cm natural, 50  
/ 100 / 150 cm, one  
side threaded  
white / natural /  
black




4140  
wall bracket  
white / grey




4165  
rail connector  
white / naturel / black



4170  
curtain holdback  
with fixing plate  
white / natural




4170-ISO  
curtain holdback nat.  
fixing plate, isolated  
white / natural



4170-M  
curtain holdback,  
magnetic fixing,  
white

### Mounting



4135  
ceiling bracket  
white / natural  
metallic / black



4254  
mini suspension  
hanger 3cm  
white / natural  
metallic / black



4055-10  
threaded rod M6  
with plug and 2x  
nut M6, 0-100 cm /  
101-200 cm

### Accessories



4153  
end cap plastic  
white / grey / black

**WARNING**  
**MAGNETIC FIELD.**  
Can be harmful to pacemaker  
wearers.

Technical specifications are subject to  
change without prior notice.

**Qurails®**  
Open a new experience