







# 5100

cord-operated

for light and medium-weight curtains

Stylish track with abundant possibilities

# 5100



# cord-operated

for light, medium-weight curtains

# stylish & versatile

The Qurails 5100 track has the looks of a classic curtain pole combined with the comfort of a high-quality curtain rail. The curtains glide smoothly virtually without sound. Using the cord to open and close the curtains keeps the fabric clean. A very popular track that can be used in a wide variety of situations, such as private homes, but also in office buildings and in the care sector.

- The ideal track for light and medium-weight curtains.
- Easy to bend and exceptional quality.
- Can be forward or reverse bent in different radii.
- Compatible with the Qurails Flow System for regularly pleated curtains.
- The cords can run through enclosed channels to ensure they remain invisible and cannot tangle.
- Silent and smooth running, also round bends.



#### Standard colours







#### **Features**


Material: aluminium


Colour: white, natural anodised, black

Dimensions: 26 x 28 mm
Weight profile: 522 gr/m
Mounting: wall or ceiling

### Profile/gliderspecifications

## Aluminium profile: Glider:





#### Colours with RAL code and lengths (m):

	RAL	4	5	6	7	7,5
white	9010		•	•	•	•
natural			•	•	•	•
black	9005			•		

#### **Mounting surface:**

- wood
- masonry/concrete

#### **Bracket type:**

- ceiling bracket
- wall bracket
- spacer bracket

#### **Bending:**

bending radius	bending tool		
R 15 cm R 25 cm R>100 cm	1015 1015 1018		
R 15 cm R > 100 cm			

#### Flow

The Qurails Flow System keeps pleats in curtains consistent. It can be used with small and wide channel tracks and, because of the broad assortment of components, it can be integrated in hand-drawn, cordpulled and electrically operated systems.


The Flow System can also be used with curved curtain tracks. For further information, see the Flow product data sheet.

#### Bestekomschrijving Materiaal

- Aluminium EN AW-6060-T66.
- Anodised in accordance with the Qualanod standard.
- Powder coated in accordance with the Qualicoat standard.


#### Montage






Ceiling mounting 5100 with ceiling bracket 5135

Wall mounting 5100 with mini suspension hanger 4254







Wall mounting with adjustable extension bracket 4217-101, bracket can be cut back to x = 50mm

Wall mounting 5100 with wall support 5149

## **Application example**


Thanks to the projection of glider 6010, a heading can be created when using a rounded rail, without the rail tilting the top part of the curtain.






Heading with projection glider 6010 width 15 mm

Without heading with glider 4010 width 10 mm



# **Mounting guideline**



The distance between the brackets can vary depending on the following factors: the mounting surface (wood, concrete or plaster), the weight of the curtains and the curtain fabric production method, the specific application and the system usage intensity. General advice: with the curtains open, place additional brackets where the pleats bunch together. Also place additional brackets before and after bends.

#### **Standard parts**

#### **Curtain transport**



**4010** glider white / grey / black



5171-1000 pulley set white / grey / black



5174-3000 carrier with overlap white / natural metallic / black

#### Mounting



5135 ceiling bracket white / natural metallic / black

#### **Accessories**



5152 connecting bridge natural



1203-13 cord weight white / grey / black



1210-3.5 cord 3.5mm white on reel 300m/black

# **Optional parts**

### **Curtain transport**



4010-50 glider white with plastic hook 2023



4012 click-in glider white



4020 heavy duty glider white / grey / black



4030 roller white/black



6010 projection glider white/grey/black



5074 pilot runner white



5175-3010 carrier without overlap white / natural metallic / black



2020 double hook white



**2021** G-Hook white



**2022** curtain hook white



2023 curtain hook white



2024-55 adjustable sew in hook white 55mm



2024-95 adjustable sew in hook white 95mm

#### Mounting



4254 mini suspension hanger 3cm white / natural / black



4217 adj.ext. bracket 10 cm, 1 hole 20 cm, 1 hole 20 cm, 2 holes white / natural metallic / black



5115 extension bracket 5, 7.5, 10, 15 cm white / natural metallic / black

#### **Accessories**



1201 cord tensioner white

Technical specifications are subject to change without prior notice.

