







5100

hand-drawn

for light, medium- and heavy-weight curtains

Stylish track with abundant possibilities

5100



hand-drawn

for light, medium- and heavy-weight curtains

stylish & versatile

The Qurails 5100 track combines the looks of a classic curtain pole with the comfort of a high-quality curtain rail. The curtains glide smoothly virtually without sound. It can be easily mounted in various ways on a wall or ceiling. A very popular track that can be used in a wide variety of situations, such as private homes, but also in office buildings and in the care sector.

- The ideal track for lightweight, medium-heavy or heavy curtains.
- Easy to bend and exceptional quality.
- Can be forward or reverse bent in different radii.
- Compatible with the Goelst Flow System for regularly pleated curtains.
- Silent and smooth running, also round bends.
- Compatible with LRS gliders.



Standard colours







Features

Material: aluminium


Colour: white, natural anodised, black


Afmetingen: 26 x 28 mm Weight profile: 522 gr/m Mounting: wall or ceiling

Profile/gliderspecifications

Aluminium profile:

Glider:





Colours with RAL code and lengths (m):

	RAL	4	5	6	7	7,5
white	9010		•	•	•	•
natural			•	•	•	•
black	9005			•		

Mounting surface:

- wood
- masonry/concrete

Bracket type:

- ceiling bracket
- wall bracket
- spacer bracket

Bending:

bending radius	bending tool		
R 15 cm	1015		
R 25 cm	1015		
R>80 cm	1018		
R 15 cm R > 80 cm			

Flow

The Qurails Flow System keeps pleats in curtains consistent. It can be used with small and wide channel tracks and, because of the broad assortment of components, it can be integrated in hand-drawn, cord-pulled and electrically operated systems.


The Flow System can also be used with curved curtain tracks. For further information, see the Flow product data sheet.

Specification guide **Material**

- Aluminium EN AW-6060-T66.
- · Anodised in accordance with the Qualanod standard.
- Powder coated in accordance with the Qualicoat standard.


Montage






Wall mounting 5100 with ceiling bracket 5135


Wall mounting 5100 with mini suspension hanger 4254




Wall mounting with adjustable extension bracket 4217-101, bracket can be cut back to x = 50mm



Wall mounting 5100 with wall support 5149





Combination example of the 4200 and 5100 with extension bracket 4217-202. A return has been created with the help of corner connections 4048-10 and 4048-08-ZO.



Application example

Thanks to the projection of glider 6010, a heading can be created when using a rounded rail, without the rail tilting the top part of the curtain.






Without heading with glider 4010 width 10 mm

Mounting guideline

The distance between the brackets can vary depending on the following factors: the mounting surface



(wood, concrete or plaster), the weight of the curtains and the curtain fabric production method, the specific application and the system usage intensity. General advice: with the curtains open, place additional brackets where the pleats bunch together. Also place additional brackets before and after bends.

Standard parts

Curtain transport



4001 end stop white / grey / black



4010 glider white / grey / black

Mounting



5135 ceiling bracket white / natural metallic / black

Accessories





5153 end cap white / grey / black



5152 connecting bridge natural

Optional parts

Curtain transport



2004 brake glider white / grey / black



4001-M-N end stop metal with eye natural



4002 end stop metal



4003 spring stop plastic requires punch hole white



4007 rotating glider white/ grey/silver/black



4007-LRS rotating glider LRS grijs / rotating glider LRS red



4010-50 glider white with plastic hook 2023



4012 click-in glider white



4020 heavy duty glider white / grey / black



4030 roller white / black



4074-1000 carrier with overlap, a.o. for draw rod white / natural metallic / black



4075-1000 carrier without overlap, a.o. for draw rod white / natural metallic / black



6010 projection glider white/grey/black



2020 double hook white



2021 G-Hook white



2022 curtain hook white



2023 curtain hook white



2024-55 adjustable sew in hook white 55mm



2024-95 adjustable sew in hook white 95mm

Mounting



4254 mini suspension hanger 3cm white / natural / black



5149 wall bracket white / grey



5115 extension bracket 5, 7.5, 10, 15 cm white / natural metallic / black



4217 adj.ext. bracket 10 cm, 1 hole 20 cm, 1 hole 20 cm, 2 holes white / natural metallic / black

Accessories



5153-A end cap aluminium white / natural metallic / black



4048-10MM corner connection



KVT-T1 draw rod 100, 125, 150, 200 of 300 cm white / natural metallic / black / transparent

Technical specifications are subject to change without prior notice.

