Qurails®

Open a new experience

5100

hand-drawn

for light, medium- and heavy-weight curtains

Stylish track with abundant possibilities

5100

hand-drawn

for light, medium- and heavy-weight curtains

stylish & versatile

The Qurails 5100 track combines the looks of a classic curtain pole with the comfort of a high-quality curtain rail. The curtains glide smoothly virtually without sound. It can be easily mounted in various ways on a wall or ceiling. A very popular track that can be used in a wide variety of situations, such as private homes, but also in office buildings and in the care sector.



- The ideal track for lightweight, medium-heavy or heavy curtains.
- Easy to bend and exceptional quality.
- Can be forward or reverse bent in different radii.
- Compatible with the Goelst Flow System for regularly pleated curtains.
- Silent and smooth running, also round bends.
- Compatible with LRS gliders.

Standard colours

High quality, wear-resistant coating, highly colourfast, UV-resistant.
Other RAL colours & special coatings on request.

Features

Material:	aluminium
Colour:	white, natural anodised, black
Afmetingen:	26 x 28 mm
Weight profile:	522 gr/m
Mounting:	wall or ceiling

Profile/ gliderspecifications

Aluminium profile:



Glider:



Colours with RAL code and lengths (m):

	RAL	4	5	6	7	7,5
white	9010		●	●	●	●
natural			●	●	●	●
black	9005			●		

Mounting surface:

- wood
- masonry/concrete

Bracket type:

- ceiling bracket
- wall bracket
- spacer bracket

Bending:

bending radius	bending tool
R 15 cm R 25 cm R>80 cm	1015 1015 1018



Flow

The Qurails Flow System keeps pleats in curtains consistent. It can be used with small and wide channel tracks and, because of the broad assortment of components, it can be integrated in hand-drawn, cord-pulled and electrically operated systems.

The Flow System can also be used with curved curtain tracks. For further information, see the Flow product data sheet.

Specification guide

Material

- Aluminium EN AW-6060-T66.
- Anodised in accordance with the Qualanod standard.
- Powder coated in accordance with the Qualicoat standard.

Montage



Wall mounting 5100
with ceiling bracket 5135



Wall mounting 5100
with mini suspension hanger 4254



Wall mounting with adjustable extension bracket 4217-101,
bracket can be cut back to x = 50mm



Wall mounting 5100 with wall support 5149

Combination example

Combination example of the 4200 and 5100 with extension bracket 4217-202. A return has been created with the help of corner connections 4048-10 and 4048-08-ZO.



Application example

Thanks to the projection of glider 6010, a heading can be created when using a rounded rail, without the rail tilting the top part of the curtain.



Heading with projection glider 6010 width 15 mm



Without heading with glider 4010 width 10 mm

Mounting guideline



The distance between the brackets can vary depending on the following factors: the mounting surface (wood, concrete or plaster), the weight of the curtains and the curtain fabric production method, the specific application and the system usage intensity. General advice: with the curtains open, place additional brackets where the pleats bunch together. Also place additional brackets before and after bends.

Standard parts

Curtain transport

4001
end stop
white / grey / black



4010
glider
white / grey / black

Mounting



5135
ceiling bracket
white / natural
metallic / black

Accessories



5153
end cap
white / grey / black



5152
connecting bridge
natural

Optional parts

Curtain transport



2004
brake glider
white / grey / black

4001-M-N
end stop metal
with eye natural

4002
end stop metal

4003
spring stop plastic
requires punch
hole white

4007
rotating glider white/
grey / silver / black

4007-LRS
rotating glider LRS
grijs / rotating glider
LRS red

4010-50
glider white with
plastic hook 2023

4012
click-in glider
white

4020
heavy duty glider
white / grey / black

4030
roller
white / black



4074-1000
carrier with overlap,
a.o. for draw rod
white / natural
metallic / black



4075-1000
carrier without
overlap, a.o. for draw
rod white / natural
metallic / black



6010
projection glider
white / grey / black

2020
double hook white

2021
G-Hook
white

2022
curtain hook
white

2023
curtain hook
white

2024-55
adjustable sew
in hook white
55mm



2024-95
adjustable sew
in hook white
95mm

Mounting

4254
mini suspension
hanger 3cm white /
natural / black

5149
wall bracket
white / grey



5115
extension bracket
5, 7.5, 10, 15 cm
white / natural
metallic / black



4217
adj.ext. bracket
10 cm, 1 hole
20 cm, 1 hole
20 cm, 2 holes
white / natural metallic
/ black

Accessories

5153-A
end cap aluminium
white / natural metallic
/ black

4048-10MM
corner connection

KVT-T1
draw rod
100, 125 or 150 cm
white / natural metallic
/ black / transparent

Technical specifications are subject to change without prior notice.

Qurails®
Open a new experience

Qurails B.V. | P.O. Box 480 | 6710 BL Ede | The Netherlands
T +31 (0)318 648 100 | info@qurails.com | www.qurails.com

v04.03.2026