



5600

cord-operated

for light, medium- and heavy-weight curtains

Sturdy and yet discreet

5600



cord-operated

for light, medium- and heavy-weight curtains

sturdy & yet discreet

The Qurails 5600 profile is a sturdy track that can be invisibly mounted on a ceiling. The curtains glide smoothly virtually without sound. Using the cord to open and close the curtains keeps the fabric clean. A very popular track that can be used in a wide variety of situations, such as private homes, but also in office buildings.

- The ideal track for sheers, medium-heavy or heavy curtains.
- Easy to bend and exceptional quality.
- Can be forward or reverse bent in different radii.
- Compatible with the Qurails Flow System for regularly pleated curtains.
- Silent and smooth running, also round bends.
- Keeps your curtains cleaner.
- The cords can run through enclosed channels to ensure they remain less visible and cannot tangle.



Standard colours




Features

Material:	aluminium
Colour:	white, natural metallic
Dimensions:	22 x 30 mm
Weight profile:	492 gr/m
Mounting:	wall or ceiling


High quality, wear-resistant coating, highly colourfast, UV-resistant.
Other RAL colours & special coatings on request.

Profile/ gliderspecifications

Aluminium profile:



Glider:



Colours with RAL code and lengths (m):

	RAL	4	5	6	7
white	9010			•	
natural metallic	9006			•	

Mounting surface:

- wood
- masonry/concrete

Bracket type:

- ceiling bracket
- wall bracket
- spacer bracket

Bending:

bending radius	bending tool
R 20 cm	1015
R 30 cm	1015
R > 100 cm	1018

R 20 cm

R > 100 cm

Flow

The Qurails Flow System keeps pleats in curtains consistent. It can be used with small and wide channel tracks and, because of the broad assortment of components, it can be integrated in hand-drawn, cord-pulled and electrically operated systems.

The Flow System can also be used with curved curtain tracks. For further information, see the [Flow product data sheet](#).

Specification guide


Material

- Aluminium EN AW-6060-T66.
- Powder coated in accordance with the Qualicoat standard.


Mounting




Ceiling mounting with fixing clamp 6050



Ceiling mounting with ceiling bracket 6055-1000




Wall mounting with bracket 6051




Concealed mounting on or in a ceiling with bracket 6055-3100-N-040


- When building in curtain tracks, allow for the overlapping width
- Curved systems: bend profile first then use as template for the rebate
- Pre-drilling of profile by Qurails




Mounting: turn & click into place



Wall mounting with adjustable extension bracket 6017



Exploded view




Mounting guideline



The distance between the brackets can vary depending on the following factors: the mounting surface (wood, concrete or plaster), the weight of the curtains and the curtain fabric production method, the specific application and the system usage intensity. General advice: with the curtains open, place additional brackets where the pleats bunch together. Also place additional brackets before and after bends.

Standard parts


Curtain transport



4010
glider
white / grey / black



5674-3000
carrier with
overlap white /
natural metallic
incl. pulley hooks




5671-1000
pulley set
white / grey

Mounting



6050
ceiling fixing
clamp natural
incl. washer


Accessories



6052
connecting bridge
natural



1203-13
cord weight
white / grey / black



1210-4.5
cord 3.5mm white
on reel 300m

Optional parts

Curtain transport



4001
end stop
white / grey / black



4003
spring stop plastic
requires punch hole
white



4007
rotating glider
white / grey /
black



4010-50
glider white with
plastic hook 2023



4012
click-in glider
white




4020
heavy duty glider
white / grey / black



4030
roller
white / black



5675-3000
carrier 5600
without overlap
white / natural
metallic incl.
pulley hooks




6010
projection glider
white / grey / black



2020
double hook white



2021-FL
G-Hook white




2022
curtain hook
white



2023
curtain hook
white



2024-55
adjustable sew in
hook white 55mm




2024-95
adjustable sew in
hook white 95mm


Mounting




6055-1000
ceiling fixing plate
white / natural
metallic / black




6055-3100-N-040
profile insert for
recessed fixing grey,
incl. screw 40 mm
white / grey / black



6015
extension bracket
5, 7.5, 10, 15 cm
white / natural
metallic / black




6017
extension bracket
can be cut, 7-15 cm
white / natural
metallic / black




6051
wall bracket
white / grey /
black

Accessories



1002-TX6-25
Torx bit 6x25



1201
cord tensioner
white



4778
cord cleat

Technical specifications are subject
to change without prior notice.

Qurails®
Open a new experience