







5600

hand-drawn

for light, medium- and heavy-weight curtains

Sturdy rail with refined curves

5600



hand-drawn

for light, medium- and heavy-weight curtains

Sturdy rail with refined curves

The Qurails 5600 track is a sturdy rail with refined curves that can be mounted on a ceiling. The curtains glide smoothly virtually without sound. A very popular track that can be used in a wide variety of situations, such as private homes, but also in office buildings and in the care sector.

- The ideal track for sheers, medium-heavy or heavy curtains.
- Easy to bend and exceptional quality.
- Can be forward or reverse bent in different radii.
- Compatible with the Qurails Flow System for regularly pleated curtains.
- Silent and smooth running, also round bends.



Standard colours





High quality, wear-resistant coating, highly colourfast, UV-resistant. Other RAL colours & special coatings on request.

Features

Material: aluminium


Colour: white, natural metallic


Dimensions: 22 x 30 mm
Weight profile: 492 gr/m
Mounting: wall or ceiling

Profile/gliderspecifications

Aluminium profile:

Glider:





Colours with RAL code and lengths (m):

	RAL	4	5	6
white	9010			•
natural metallic	9006			•

Mounting surface:

- wood
- masonry/concrete

Bracket type:

- ceiling bracket
- wall bracket
- spacer bracket

Bending:

bending radius	bending tool	
R 20 cm	1015	
R 30 cm	1015	
R>100 cm	1018	
R 20 cm		

Flow

The Qurails Flow System keeps pleats in curtains consistent. It can be used with small and wide channel tracks and, because of the broad assortment of components, it can be integrated in hand-drawn, cordpulled and electrically operated systems.


The Flow System can also be used with curved curtain tracks. For further information, see the Flow product data sheet.

Specification guide Material

- Aluminium EN AW-6060-T66.
- Powder coated in accordance with the Qualicoat standard.

Mounting







40 mm

Ceiling mounting with ceiling mounting clamp 6050

Wall mounting with bracket 6051









Ceiling mounting with bracket 6055-1000

Mounting: turn & click into place

Concealed mounting, for example, in channel with bracket 6055-3100-N-040 when creating bends: cut the channel on the basis of the track supplied by Qurails



Wall mounting with adjustable extension bracket 6017 Example: confection with and without heading



5600 heading with projection glider

5600 without heading with glider 4010

Mounting guideline



The distance between the brackets can vary depending on the following factors: the mounting surface (wood, concrete or plaster), the weight of the curtains and the curtain fabric production method, the specific application and the system usage intensity. General advice: with the curtains open, place additional brackets where the pleats bunch together. Also place additional brackets before and after bends.

Standard parts

Curtain transport



4001 end stop white / grey / black



4010 glider white / grey / black

Mounting



6050 ceiling fixing clamp natural incl. washer

Accessories





5653 end cap white / grey



6052 connecting bridge natural

Optional parts

Curtain transport



2004 brake glider white / grey / black



4001-M-N end stop metal with eye natural



4002 end stop metal



4003 spring stop plastic requires punch hole

white



4007 rotating glider white/ grey / black



4007-LRS rotating glider LRS grijs / rotating glider LRS red



4010-50 glider white with plastic hook 2023



4012 click-in glider white



4020 heavy duty glider white / grey / black



4030 roller white/black



4074-1000
carrier with overlap,
a.o. for draw rod
white / natural
metallic / black



4075-1000 carrier without overlap, a.o. for draw rod white / natural metallic / black



6010 projection glider white/grey/black



2020 double hook white



2021-FL G-Hook white



2022 curtain hook white



2023 curtain hook white



2024-55 adjustable sew in hook white 55mm



2024-95 adjustable sew in hook white 95mm

Mounting



6055-1000 ceiling fixing plate white / natural metallic / black



6055-3100-N-040 profile insert for recessed fixing grey, incl. screw 40 mm white / grey / black



6015 extension bracket 5, 7.5, 10, 15 cm white / natural metallic / black



6017 extension bracket can be cut, 7-15 cm white / natural metallic / black



6051 wall bracket white / grey / black

Accessories



KVT-T1 draw rod 100, 125, 150, 200 of 300 cm white / natural metallic / black / transparent

Technical specifications are subject to change without prior notice.

