



6200

hand-drawn

for light, medium- and heavy-weight curtains

Luxurious and sturdy track

6200



hand-drawn

for light, medium- and heavy-weight curtains

luxurious & sturdy

The Qurails 6200 profile is suitable for practically all curtain fabrics ranging from standard sheers to heavy theatre curtains. It can be mounted invisibly on a ceiling using fixing clamps and is also available with various wall supports. A popular track that can be used in a wide variety of situations, such as private homes, theatres and offices.

- The ideal track for light, medium-heavy or heavy curtains.
- Easy to bend and exceptional quality.
- Can be forward or reverse bent in different radii
- Compatible with the Qurails Flow System for regularly pleated curtains.
- Silent and smooth running, also round bends.
- Suitable for incorporating the Load Release System.



Standard colours




High quality, wear-resistant coating, highly colourfast, UV-resistant.
Other RAL colours & special coatings on request.

Features

Material:	aluminium
Colour:	white, natural metallic, black
Dimensions:	22 x 31 mm
Weight profile:	567 gr/m
Mounting:	wall or ceiling

Profile/ gliders specifications

Aluminium profile: Glider:



Colours with RAL code and lengths (m):

	RAL	4	5	6	7
white	9010	●		●	●
natural metallic	9006	●		●	●
black	9005	●		●	●

Mounting surface:

- wood
- masonry/concrete

Bracket type:

- ceiling bracket
- wall bracket
- spacer bracket

Bending:

bending radius	bending tool
R 20 cm	1015
R 30 cm	1015
R 40 cm	1015
R 50 cm	1015
R > 100 cm	1018

R 20 cm

R > 100 cm

Flow

The Qurails Flow System keeps pleats in curtains consistent. It can be used with small and wide channel tracks and, because of the broad assortment of components, it can be integrated in hand-drawn, cord-pulled and electrically operated systems.

The Flow System can also be used with curved curtain tracks. For further information, see the [Flow product data sheet](#).

Specification guide


Material

- Aluminium EN AW-6060-T66.
- Anodised in accordance with the Qualanod standard.
- Powder coated in accordance with the Qualicoat standard.


Mounting




Ceiling mounting with fixing clamp 6050: allow room for tightening the clamp.




Concealed mounting on or in a ceiling with bracket 6055-3100-N-040




Ceiling mounting with bracket 6055-1000




Wall mounting with bracket 6051



Wall mounting with adjustable extension bracket 6017, can be shortened from 15 to 7 cm.




Wall mounting with 6015




bracket code	a (mm)
6015-05	50
6015-07,5	75
6015-10	100

4010 glider:




Mounting guideline



The distance between the brackets can vary depending on the following factors: the mounting surface (wood, concrete or plaster), the weight of the curtains and the curtain fabric production method, the specific application and the system usage intensity. General advice: with the curtains open, place additional brackets where the pleats bunch together. Also place additional brackets before and after bends.

6010 glider:






Standard parts

Curtain transport



4001
end stop
white / grey / black




4010
glider
white / grey / black

Mounting



6050
ceiling fixing
clamp natural
incl. washer




6051
wall bracket
white / grey /
black

Accessories



6253
end cap white/
grey / black



6052
connecting bridge
natural

Optional parts

Curtain transport



2004
brake glider
white / grey / black



4001-M-N
end stop metal
with eye natural



4002
end stop metal



4003
spring stop plastic
requires punch hole
white



4007
rotating glider white/
grey / silver / black



4007-LRS
rotating glider LRS
grijs / rotating glider
LRS redwood



4010-50
glider white with
plastic hook 2023



4012
click-in glider white




4020
heavy duty glider
white / grey / black




4030
roller
white / black



6010
projection glider
white / grey / black



4074-1000
carrier with overlap,
a.o. for draw rod
white / natural
metallic / black



4075-1000
carrier without
overlap, a.o. for draw
rod white / natural
metallic / black



2020
double hook white



2021
G-Hook white




2022
curtain hook white



2023
curtain hook white



2024-55
adjustable sew in
hook white 55mm




2024-95
adjustable sew in
hook white 95mm


Mounting




6055-1000
ceiling fixing plate
white / natural metallic
/ black



6055-3100-N-040
profile insert for
recessed fixing grey, incl.
screw 40 mm
white / grey / black



6015
extension bracket 5,
7.5, 10, 15 cm
white / natural metallic
/ black



6017
extension bracket can
be cut, 7-15 cm
white / natural metallic
/ black

Accessories



KVT-T1
draw rod
100, 125, 150, 200 of
300 cm white / natural
metallic / black /
transparent

Technical specifications are subject
to change without prior notice.

Qurails®

Open a new experience