







Flow

hand-drawn, cord-, electrically operated

for consistent pleats in curtains

The ideal solution for classic elegance

Flow



hand-drawn, cord-, electrically operated

for consistent pleats in curtains

elegant & stylish

The Qurails Flow System keeps pleats in curtains consistent. It can be used with small and wide channel tracks and, because of the broad assortment of components, it can be integrated in hand-drawn, cord-pulled and electrically operated systems. The Flow System can also be used with curved curtain tracks..

Flow gliders

Flow gliders rotate on a cord and are placed along a track at set distances of 60 or 80 mm. Flow gliders can be used with the following Qurails track profiles:



Profile 2000 series: 2014-12 rotating glider on cord small channel 60 of 80 mm



Profile 4000, 5000, 6000 series: 4014-12 rotating glider on cord wide channel 60 of 80 mm

Curtain tape

The Qurails Flow System has two types of curtain tape for distances of 60 mm and 80 mm, respectively. See application example "Curtain tape" on the next page for dimensions of the two types of curtain tape for pleat folds of 200%, 250% and 280%.

The tape is coated with an adhesive so that it can be ironed onto the curtain fabric before being permanently sewn. In this way, it will not shift in position while the curtains are being made.

In addition, red markings have been placed in the tape at points where curtain hooks can be placed.

Curtain hooks

Curtain hooks 2021-FL can be inserted in the pockets by the markings matching the chosen pleat fold.



2021-FL Flow hook



Confection

Curtain package


Package height: up to 3 metres because the pleat appearance at the bottom of the curtain.

Package width: up to 5 metres (single package) making a total of 10 metres for a pair.

Sewing advice

Allow a minimum of 5 mm free space between the underside of the chosen track and the top edge of the curtain. It is important to do this to stop the curtain from catching.

The curtain tape should be ironed on first and the permanently sewn with the narrow strip facing upwards.






Application example




Overview of various hand, cord and electrically operated situations. In the diagrams, the Flow parts are always shown with a symbol.

Electric middle closing

Middle closing with out overlap 5600/6200





Curtain tape

Pleat sizes 4014-22-060

with adhesive

4014-22-060 for the purpose of 4014-12-060 glider

200% every 12 pockets 250% every 15 pockets 280% every 17 pockets



band Flow for 60 mm gliders

band Flow for 80 mm gliders with adhesive

4014-22-080 for the purpose of


4014-12-080 glider

200% every 16 pockets

280% every 23 pockets




4014-22-080







Standard parts

Curtain transport



80 mm





















2014-12-060

rotating glider on cord Flow small channel 60mm

2014-12-080 rotating glider on cord Flow small channel 80mm

4014-12-060 rotating glider on cord Flow wide channel

4014-12-080

rotating glider on cord Flow wide channel 80mm

4074-10FL pilot hook Flow white

2021-FL curtain hook Flow white

2001 twist end stop white / grey / black

4001 end stop white / grey / black

4002-08 5100 / 5300 **4002-16** 5600 / 6200 internal end stop

PRS glider, used as spacer behind overlap bracket

4014-22-060 band Flow for 60 mm glider with adhesive

4014-22-080 band Flow for 80 mm glider with adhesive




4075-1000 carrier without overlap,

a.o. for draw rod white / natural metallic / black


5175-3010

carrier with overlap 5100/5300 Flow white / natural metallic



5675-3010

carrier 5600 without overlap white / natural



6275-3010

carrier without overlap 6200 Flow white / natural metallic / black



4074-30FL

carrier with overlap Flow white / natural metallic / black




5174-30FL

carrier with overlap 5100/5300 Flow white / natural metallic



5674-30FL

carrier with overlap 5600 Flow white, natural metallic



6274-30FL

carrier with overlap Flow white / natural metallic / black





Ŋ

2004 brake glider white / black



draw rod 100, 125, 150, 200 of 300 cm white / natural metallic / black

Technical specifications are subject to change without prior notice. Parts suitable for all rails, unless otherwise indicated.

