



# Swing

hand-drawn, cord- and electrically operated  
for consistent pleats in curtains

---

**Practical solution for classic elegance**

# Swing



hand-drawn, cord- and electrically operated

for consistent pleats in curtains

## practical & stylish

Straight hemmed curtains with attractive, identical folds? SWING makes it possible. Your curtains will always fall in identical S-shaped folds, even when fully closed. In addition, washing your curtains is a lot easier!

With the SWING system, a band of snap fasteners is attached to the curtain with which it can easily be fitted on SWING gliders. SWING gliders are always kept at the same distance apart by a smart, invisible cord worked into the track. As a result, the curtain always falls in identical S-shaped folds, even when fully closed. The SWING system has even more advantages:


- The curtain can easily be removed from the gliders, for example, for washing the fabric.
- SWING can be used with Qurails hand-drawn, cord-operated and electrically powered curtain systems, and with most track types.
- A curtain can be hung on each side of the gliders so that an elegantly finished curtain can be seen from the front and back.
- The black-out lining can be fitted and washed separately from the curtain.
- The click-in gliders can even be washed with the curtains.



### Swing gliders


#### 4014-10 glider

- max. 0.5 kg per glider.
- max. package width 5 m




#### 4014-11 click-in glider

- max. 0.5 kg per glider.
- easy to click in and out of the track, making the curtain easy to remove.
- can be dry cleaned or laundered along with the curtain fabric.



*All indicated weights may not be greater than the maximum permissible weights of the selected curtain track system.*



## Application example

The pilot runner with overlap always starts with an inward curve. With middle-closing curtains, this creates an attractive overlap. The pilot runner without overlap always starts with an outward curve. The curtain fabric always ends with an outward so that the cord or motor is covered in cord-operated and electric track systems.

### Cord- and electrically operated

single set with overlap



middle-closing without overlap



middle-closing with overlap




### Hand-drawn

Single package without overlap



middle-closing without overlap




middle-closing with overlap



↑  
room side


## Glider distance

Glider	Distance	Art. nr. glider
'60 %'	6,67 cm*	4014-10-060
standard '80%'	6,03 cm*	4014-10-080
'100%'	5,40 cm*	4014-10-100



## Pleated curtains open and closed

Example: gliders 4014-10-080 / 4014-11-080




## Specification guide

### Mounting:

Mount the heart of the track at least 10cm from the wall. We advise against using anodised tracks.

The gliders are suitable for profiles:



### Tailoring:


With the SWING system, the way in which the curtain falls depends on the selected fabric. SWING is ideal for floor-to-ceiling fabrics.

For more information about this system, go to our website: [www.qurails.com](http://www.qurails.com)




## Standard parts

### Curtain transport



4014-10-060/ 4014-10-080  
4014-10-100/ 4014-10-120  
glider swing (2-sided) on  
cord, white

### Band




4014-20-108  
band with snap fasteners  
white/ black

4014-20-190  
band with snap fasteners  
white


## Optional parts

### Gliders




4014-11-060/ 4014-11-080  
4014-11-100/ 4014-11-120  
click-in glider swing (2-sided)  
on cord, white

### Pilot runners left



6274-30SW-L  
pilot runner Swing complete  
with overlap left (for 6200)



5674-10SW-L  
pilot runner Swing complete  
with overlap left (for 5600)

5374-10SW-L  
pilot runner Swing complete  
with overlap left (for 5300)


5174-10SW-L  
pilot runner Swing complete  
with overlap left (for 5100)

4074-10SW-L  
pilot runner Swing complete  
with overlap left for hand-  
drawn curtains

### Pilot runners right



6274-30SW-R  
pilot runner Swing complete  
with overlap right (for 6200)




5674-10SW-R  
pilot runner Swing complete  
with overlap right (for 5600)

5374-10SW-R  
pilot runner Swing complete  
with overlap right (for 5300)


5174-10SW-R  
pilot runner Swing complete  
with overlap right (for 5100)

4074-10SW-R  
pilot runner Swing complete  
with overlap right for hand-  
drawn systems

### Pilot runners without overlap



6275-30SW  
pilot runner Swing complete  
without overlap (for 6200)



5675-10SW  
pilot runner Swing complete  
without overlap (for 5600)

5375-10SW  
pilot runner Swing complete  
without overlap (for 5300)

5175-10SW  
pilot runner Swing complete  
without overlap (for 5100)

Pilot runner sets include roller hooks (except for hand-drawn systems) that are available in white.

**Qurails**<sup>®</sup>  
Open a new experience

**Qurails B.V.** | P.O.Box 480 | 6710 BL Ede | The Netherlands  
T +31 (0)318 648 100 | info@qurails.nl | www.qurails.com